

## Bowel Cancer (C18-C20): 2014

Number of Deaths, Crude and European Age-Standardised (AS) Mortality Rates per 100,000 Population, UK

		England	Wales	Scotland	Northern Ireland	UK
Male	Deaths	7,050	529	786	201	8,566
	Crude Rate	26.3	34.8	30.3	22.3	26.9
	AS Rate	33.3	39.1	38.1	30.8	33.9
	AS Rate - 95% LCL	32.5	35.8	35.5	26.6	33.2
	AS Rate - 95% UCL	34.1	42.5	40.8	35.1	34.7
Female	Deaths	5,987	399	739	212	7,337
	Crude Rate	21.7	25.4	26.9	22.6	22.4
	AS Rate	21.3	22.5	25.9	25.0	21.8
	AS Rate - 95% LCL	20.7	20.3	24.0	21.6	21.3
	AS Rate - 95% UCL	21.8	24.7	27.7	28.3	22.3
Persons	Deaths	13,037	928	1,525	413	15,903
	Crude Rate	24.0	30.0	28.5	22.4	24.6
	AS Rate	26.5	29.9	30.9	28.0	27.1
	AS Rate - 95% LCL	26.0	28.0	29.4	25.3	26.6
	AS Rate - 95% UCL	26.9	31.8	32.5	30.7	27.5

Source: [cruk.org/cancerstats](http://cruk.org/cancerstats)

You are welcome to reuse this Cancer Research UK statistics content for your own work.

Credit us as authors by referencing Cancer Research UK as the primary source.

Suggested style: Cancer Research UK, full URL of the page, Accessed [month] [year].

